Banyan TREATMENT VENTERS

All Facilities





Treatment Effectiveness Report January 1st, 2019 - December 31st, 2019

Langhorne, PA • Laurel Run, PA • Wilmington, MA • Chicago, IL • Gilman, IL • Lake Worth, FL Palm Beach Shores, FL • Stuart, FL • Boca Raton, FL • Pompano Beach, FL • Cathedral City, CA

www.banyantreatmentcenters.com

Background

Banyan Treatment Centers provides a full continuum of care to suit the needs of all clients seeking treatment. Levels of care offered for the substance use disorders program include medically monitored detox, intensive inpatient, residential treatment, partial hospitalization programs, intensive outpatient, outpatient services, and continued care. Levels of care offered for the primary mental health program include residential treatment and partial hospitalization programs.

This report includes data collected from 6,085 clients that were admitted to 12 facilities including:


- Banyan Pompano
- Banyan Boca
- Banyan Stuart
- Center for Alcohol and Drug Studies
- Seaside of the Palm Beaches
- Banyan Heartland
- Banyan Chicago
- Banyan Massachusetts
- Clearbrook Treatment Centers
- Banyan Philadelphia
- Banyan Palm Springs
- Banyan Hyde Park¹

All data is collected through the Vista INSIGHT platform by client self-report.

¹ No longer a part of the Banyan network


Demographics





What Happened that Led to Treatment


What Happened Right Before that Led to Treatment



Living Arrangement


Living Arrangements


Stable	Stable: I was living in my own home, apartment or dorm room					509	6			
	Stable: I was living in my parent's, guardian's or other family member's home			27%						86%
	Stable: I was living in a sober living environment, such as a half-way house	5%								0070
	Stable, Other: While none of the above, I was living in a place where I could stay a	496								
Unstable	Unstable: I was moving from place to place, living with friends or people I met	6%								
	Unstable: I was homeless	4%	14%							
	Unstable, Other	4%	1470							
	Unstable: I was in jail	1%								
		096 1096	20%	30%	40%	50%	60%	70%	80%	90%




Drug of Choice

Addiction Severity







Number of Previous Treatments




Currently Using an Opioid Partial Agonist (buprenorphine)




Currently using an Opioid Antagonist (naltrexone)





Mental Health Symptoms at Intake

Mental Health Symptoms at Intake



Taken Little Medicaiton Did Not Take Medication


Not on Medication

196


56%

Progress While in Treatment







Patient Progress on Trauma Symptoms




Patient Progress on Psychosis Symptoms 1,827 patients



Patient Progress on Mania Symptoms 1,826 patients % of Patients Not Taking All Medication





1,563 patients

Patient Progress on Overall Feeling 971 patients Usage of Drug or Alcohol During Treatment



Progress While in Treatment


Patient Progress On Suicidal Thoughts and Intentions


Recently Prepared, Started to or Attempted Suicide	Intake Survey	4%					
	Last Treatment Episode Survey	0%					
Intended to Carry Out Suicide Plan	Intake Survey	596					
	Last Treatment Episode Survey	0%					
Started to Work Out the Details	Intake Survey	6%					
	Last Treatment Episode Survey	0%					
Had Suicidal Thoughts and Some Intention to Act on Them	Intake Survey	89	6				
	Last Treatment Episode Survey	0%					
Thought About How Might Kill Himself or Herself	Intake Survey		12%				
	Last Treatment Episode Survey	0%					
Had Thoughts About Killing Himself or Herself	Intake Survey		19%				
	Last Treatment Episode Survey	196					
Wished He or She Was Dead or Could Go to Sleep and Not Wake Up	Intake Survey			34%			
	Last Treatment Episode Survey	296					
		0%	20%	40%	60%	80%	100%

Patient Progress on Eating Disorders

Compensatory	Making Yourself Vomit	Intake Survey	7%	0				
Behaviors		Last Treatment Episode Survey	1%					
	Fasting (Skipping 2 or more meals in a row)	Intake Survey		19%				
		Last Treatment Episode Survey	296					
	Intense Exercise to Counteract Eating	Intake Survey	79	6				
		Last Treatment Episode Survey	1%					
	Using Laxatives or Diuretics	Intake Survey	4%					
		Last Treatment Episode Survey	1%					
Binge Eating	Eating Large Amts of Food & Losing Control	Intake Survey	6%					
		Last Treatment Episode Survey	196					
	Distressful Night Eating	Intake Survey		18%				
		Last Treatment Episode Survey	4%					
			0%	20%	40%	60%	80%	100%









2,560 patients

Treatment Completion




Banyan Treatment Centers: 76% Successful Completion

ST Residential National Avg.: 54% Successful Completion




Patient Satisfaction

Goal Attainment




Were Your Treatment Goals Met?



Were Patients Asked About Treatment Goals?

Were Patients Asked About Treatment

Goals?



Were Your Treatment Goals Met?

